



SPECIALTY  
PRODUCTS  
GROUP®

# SAFETY DATA SHEET

## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

TRADE NAME	<b>LOCK THE TOP™ SELF-LEVELLING UNDERLAYMENT- PART A</b>		
PRODUCT USE	A self-levelling concrete product. Used for concrete flooring and concrete floor repairs.		
MANUFACTURER'S NAME	<b>Specialty Products Group</b>		
	6254 Skyway Rd, PO Box 915 Smithville ON L0R 2A0	Tel 1-877-957-4626 Fax 1-905-527-0606	3909 Witmer Rd Suite 1014 Niagara Falls NY 14305
EMERGENCY NUMBER	613-996-6666 OR *666 CANUTEC 1-800-535-5053 UNITED STATES POISON INFORMATION CENTRE		

## 2. HAZARDS IDENTIFICATION

GHS CLASSIFICATION:	Flammability 5, Reactivity 5, Health 4
ROUTE OF ENTRY	Inhalation, Skin contact.
CARCINOGENIC STATUS	Respirable crystalline quartz is a suspected human carcinogen, ACGIH Group A2
TARGET ORGANS	Lungs, skin
HEALTH EFFECTS – EYE	Dust may cause irritation and possibly corneal damage.
HEALTH EFFECTS – SKIN	May dehydrate skin.
HEALTH EFFECTS – INGESTION	Irritation of mouth, throat and digestive tract.
HEALTH EFFECTS – INHALATION	<b>NOTE: 0.67% respirable quartz.</b> Prolonged or repeated exposure to fine airborne crystalline silica dust may cause severe scarring of the lungs, a disease called silicosis. Silicosis may occur in varying degrees from minimal to severe. In severe cases, significant and increasingly severe respiratory impairment develops.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients are non-hazardous and proprietary

## 4. FIRST AID MEASURES

FIRST AID – INHALATION	Remove from exposure. If there is difficulty in breathing, give oxygen. Obtain medical attention immediately.
FIRST AID – SKIN	Immediately flood the skin with large quantities of water, preferably under a shower. Obtain medical attention if blistering occurs or redness persists.
FIRST AID – EYE	Immediately flood the eye with plenty of water for at least 15 minutes, holding the eye open. Obtain medical attention if soreness or redness persists.
FIRST AID – INGESTION	Rinse mouth out with water.

## 5. FIRE FIGHTING MEASURES

CONDITIONS OF FLAMMABILITY	Non-flammable. Will not support combustion.
EXTINGUISHING MEDIA	NA
SPECIAL HAZARDS OF PRODUCT	NA
PROTECTIVE EQUIPMENT FOR FIRE FIGHTING	NA
EXPLOSION DATA – SENSITIVITY TO IMPACT	NO
EXPLOSION DATA – SENSITIVITY TO STATIC DISCHARGE	YES

## 6. ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES	Non-reactive. Transfer into non-dusting sealed containers for recovery or disposal.
PERSONAL PRECAUTIONS	Avoid creation of dust. Wear NIOSH approved particle mask, gloves, and eye protection.
ENVIRONMENTAL PRECAUTIONS	Stable in environment. Not toxic to wildlife.
REFERENCES TO OTHER SECTIONS	See Section 7 for information on safe handling See Section 8 for information on personal protection equipment See Section 13 for disposal information

## LOCK THE TOP™ SELF-LEVELLING UNDERLAYMENT – PART A

### 7. HANDLING AND STORAGE

HANDLING	Use in well-ventilated area. Use local exhaust ventilation. Avoid inhaling dust. Avoid contact with eyes, skin and clothing. Handle carefully to avoid creating dust.
STORAGE	Store in a dry area.
<b>INFORMATION ABOUT PROTECTION AGAINST EXPLOSION AND FIRE</b> Keep ignition sources away – Do not smoke Protect against electrostatic charges	
<b>SPECIFIC END USE(S)</b> No further relevant information available	

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROL MEASURES	Use in well-ventilated area. Avoid creation of dust. Up to 0.5 mg/m <sup>3</sup> use air purifying respirator with high efficiency particulate filter. Up to 1.25 mg/m <sup>3</sup> use powered air purifying respirator with high efficiency filter. Up to 2.5 mg/m <sup>3</sup> use full-faced piece air purifying respirator with high efficiency particulate filter.
RESPIRATORY PROTECTION	Wear NIOSH approved particle respirator.
HAND PROTECTION	Gloves should be worn during all handling operations.
EYE PROTECTION	Protect eyes from dust.
BODY PROTECTION	Clothing should cover body adequately to prevent exposure.
PROTECTION DURING APPLICATION	Will release ammonia gas when mixed with 1260 Part B. Venting or respiration equipment may be required when working in confined spaces. After installation and drying, activities such as grinding, sawing or tear-out of material may cause dust concentration to be above the TLV limit for crystalline quartz.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE	Solid
ODOUR & APPEARANCE	None, off-white
ODOR THRESHOLD (ppm)	NA
SPECIFIC GRAVITY	N/D
VAPOR DENSITY (AIR = 1)	NA
VAPOR PRESSURE at 20°C	N/D
EVAPORATION RATE	None
BOILING POINT (° C)	N/D
FREEZING POINT (° C)	NA
pH	NA
COEFFICIENT OF WATER/OIL DISTRIBUTION	NA
SOLUBILITY IN WATER	Insoluble
VOC (g/L)	0
FLASH POINT (PMCC) (°C/°F)	NA
UPPER FLAMMABLE LIMIT %VOL	NA
LOWER FLAMMABLE LIMIT %VOL	NA
AUTOIGNITION TEMP (°C/°F)	NA

### 10. STABILITY AND REACTIVITY

STABILITY	Contact with strong oxidizing agents.
CONDITIONS TO AVOID	Oxidizing agents: fluorine, chlorine trifluoride, manganese trioxide, oxygen difluoride
MATERIALS TO AVOID	Strong oxidizing agents.
HAZARDOUS POLYMERIZATION	Will not occur
HAZARDOUS DECOMPOSITION PRODUCTS	Silica will dissolve in hydrofluoric acid and produce a corrosive gas (silicon tetra fluoride)

## LOCK THE TOP™ SELF-LEVELLING UNDERLAYMENT – PART A

### 11. TOXICOLOGICAL INFORMATION

EFFECTS OF ACUTE EXPOSURE	NA - No known acute toxicity.
EFFECTS OF CHRONIC EXPOSURE	Repeated inhalation of concentrated free silica dust may cause delayed lung injury (silicosis).
EXPOSURE LIMITS	0.05 mg/m <sup>3</sup> Respirable quartz dust.
IRRITANCY	Mild irritation expected
SENSITIZATION	Unlikely.
CARCINOGENICITY	The International Agency for Research on Cancer has concluded that crystalline silica in the form of quartz from occupational exposures should be classified as carcinogenic to humans (Group 1) The American Conference of Government Industrial Hygienists has given crystalline silica, quartz an A2 classification, suspected human carcinogen. Simultaneous exposure to known carcinogens can increase carcinogenicity of crystalline silica.
REPRODUCTIVE TOXICITY	NA
TERATOGENICITY	NA
MUTAGENICITY	NA
TOXICOLOGICALLY SYNERGISTIC PRODUCTS	Synergistic effect between smoking and crystalline silica is likely.

### 12. ECOLOGICAL INFORMATION

MOBILITY	Stable in environment.
PERSISTENCE/DEGRADABILITY	Non-biodegradable, generally non-toxic.
BIO-ACCUMULATION	Product does not bioaccumulate.
ECOTOXICITY	Not toxic to wildlife.
RESULTS of PBT and vPvB Assessment	
PBT:	N/A
vPvB:	N/A

### 13. DISPOSAL CONSIDERATIONS

PRODUCT DISPOSAL	Non-reactive. Transfer into non-dusting, sealed containers for recovery or disposal. Dispose of in an approved landfill site. Contact local authorities for disposal approval.
CONTAINER DISPOSAL	Dispose of containers as per local, state, or federal regulations
<b>UNCLEANED PACKAGINGS</b>	
<b>Recommendation:</b> Disposal must be made according to official regulations	

### 14. TRANSPORTATION INFORMATION



CANADA		TDG CLASSIFICATION
HAZARD LABEL	NOT REQUIRED	NOT REGULATED
<b>EXPORT</b>		
DOT CFR 172.101 DATA		NOT REGULATED
UN PROPER SHIPPING NAME		NA
UN CLASS		NA
UN NUMBER		NA
UN PACKAGING GROUP		NA
FLASH POINT		NA
HAZARDOUS MATERIAL		NA
HAZARD LABEL		NA
MARINE POLLUTANT		No
SPECIFIC PRECAUTIONS FOR USER		N/A

### 15. REGULATORY INFORMATION

WHMIS CLASSIFICATION: Not controlled
CEPA STATUS (DSL): All the ingredients of this product are listed on the Domestic Substances List. This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by CPR.

# LOCK THE TOP™ SELF-LEVELLING UNDERLAYMENT – PART A

## 16. OTHER INFORMATION

	HMIS hazard ID: 0-MINIMAL; 1-SLIGHT; 2-MODERATE; 3-SERIOUS; 4-SEVERE		NFPA hazard ID: 0-MINIMAL; 1-SLIGHT; 2-MODERATE; 3-SERIOUS; 4-SEVERE																										
KEY	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>NA:</td><td>No applicable information found or available</td></tr> <tr><td>CAS#:</td><td>Chemical Abstracts Service Number</td></tr> <tr><td>ACGIH:</td><td>American Conference of Governmental Industrial Hygienists</td></tr> <tr><td>OSHA:</td><td>Occupational Safety and Health Administration</td></tr> <tr><td>TLV:</td><td>Threshold Limit Value</td></tr> <tr><td>PEL:</td><td>Permissible Exposure Limit</td></tr> <tr><td>STEL:</td><td>Short Term Exposure Limit</td></tr> <tr><td>NTP:</td><td>National Toxicology Program</td></tr> <tr><td>IARC:</td><td>International Agency for Research on Cancer</td></tr> <tr><td>R:</td><td>Risk</td></tr> <tr><td>S:</td><td>Safety</td></tr> <tr><td>LD50:</td><td>Lethal Dose 50%</td></tr> <tr><td>LC50:</td><td>Lethal Concentration 50%</td></tr> </table>			NA:	No applicable information found or available	CAS#:	Chemical Abstracts Service Number	ACGIH:	American Conference of Governmental Industrial Hygienists	OSHA:	Occupational Safety and Health Administration	TLV:	Threshold Limit Value	PEL:	Permissible Exposure Limit	STEL:	Short Term Exposure Limit	NTP:	National Toxicology Program	IARC:	International Agency for Research on Cancer	R:	Risk	S:	Safety	LD50:	Lethal Dose 50%	LC50:	Lethal Concentration 50%
NA:	No applicable information found or available																												
CAS#:	Chemical Abstracts Service Number																												
ACGIH:	American Conference of Governmental Industrial Hygienists																												
OSHA:	Occupational Safety and Health Administration																												
TLV:	Threshold Limit Value																												
PEL:	Permissible Exposure Limit																												
STEL:	Short Term Exposure Limit																												
NTP:	National Toxicology Program																												
IARC:	International Agency for Research on Cancer																												
R:	Risk																												
S:	Safety																												
LD50:	Lethal Dose 50%																												
LC50:	Lethal Concentration 50%																												

PREPARED BY:	Specialty Products Group Inc.
SDS REVISED DATE	November 1, 2023

Provided data is offered in good faith as typical values and not as a product specification. No warranty, either express or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable, however, each user should review these recommendations.