



# SAFETY DATA SHEET

## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

TRADE NAME	<b>RAZORS EDGE™ PART A</b>		
PRODUCT USE	A magnesium polyphosphate concrete finishing material for self-leveling MgKrete™ and concrete pours and for concrete repair. Used for patching. Can be trowelled vertically and overhead.		
MANUFACTURER'S NAME	<b>Specialty Products Group</b>		
	6254 Skyway Rd, PO Box 915 Smithville ON L0R 2A0	Tel 1-877-957-4626 Fax 1-905-527-0606	3909 Witmer Rd Suite 1014 Niagara Falls NY 14305
EMERGENCY NUMBER	613-996-6666 OR *666 CANUTEC 1-800-535-5053 United States Poison Information Center		

## 2. HAZARDS IDENTIFICATION



GHS CLASSIFICATION: Flammability 5, Reactivity 5, Health 4

ROUTE OF ENTRY	Inhalation, Skin contact.
CARCINOGENIC STATUS	Respirable crystalline quartz is a suspected human carcinogen, ACGIH Group A2
TARGET ORGANS	Lungs, skin
HEALTH EFFECTS – EYE	Dust would cause irritation and possibly corneal damage.
HEALTH EFFECTS – SKIN	Dehydration of skin.
HEALTH EFFECTS – INGESTION	Irritation of mouth, throat and digestive tract.
HEALTH EFFECTS – INHALATION	Prolonged or repeated exposure to fine airborne crystalline silica dust causes scarring of the lungs, a disease called silicosis. Silicosis occurs in varying degrees from minimal to severe. In severe cases, significant and increasingly severe respiratory impairment develops.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients are non-hazardous and proprietary

## 4. FIRST AID MEASURES

FIRST AID – INHALATION	Remove from exposure. If there is difficulty in breathing, give oxygen. Obtain medical attention immediately
FIRST AID – SKIN	Immediately flood the skin with large quantities of water, preferably under a shower. Obtain medical attention if blistering occurs or redness persists
FIRST AID - EYE	Immediately flood the eye with plenty of water for at least 15 minutes, holding the eye open. Obtain medical attention if soreness or redness persists
FIRST AID - INGESTION	Rinse mouth out with water

### INFORMATION FOR DOCTOR

Most important symptoms and effects, both acute and delayed.  
No further relevant information  
Indications of any immediate medical attention and special treatment needed.  
No further relevant information available.

## 5. FIRE FIGHTING MEASURES

CONDITIONS OF FLAMMABILITY	Non-flammable. Will not support combustion.
EXTINGUISHING MEDIA	Not flammable
SPECIAL HAZARDS OF PRODUCT	Not flammable
PROTECTIVE EQUIPMENT FOR FIRE FIGHTING	Not flammable
EXPLOSION DATA – SENSITIVITY TO IMPACT	No
EXPLOSION DATA – SENSITIVITY TO STATIC DISCHARGE	No

## RAZORS EDGE™

### 6. ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES	Non-reactive. Transfer into non-dusting sealed containers for recovery or disposal.
PERSONAL PRECAUTIONS	Avoid creation of dust. Wear NIOSH approved particle mask, gloves, and eye protection.
ENVIRONMENTAL PRECAUTIONS	Stable in environment. Not toxic to wildlife.
<b>REFERENCES TO OTHER SECTIONS</b>	
See Section 7 for information on safe handling	
See Section 8 for information on personal protection equipment	
See Section 13 for disposal information	

### 7. HANDLING AND STORAGE

HANDLING	Use in well-ventilated area. Use local exhaust ventilation. Avoid inhaling dust. Avoid contact with eyes, skin and clothing. Handle carefully to avoid creating dust.
STORAGE	Store in a dry area.
<b>INFORMATION ABOUT PROTECTION AGAINST EXPLOSION AND FIRE</b>	
Keep ignition sources away – Do not smoke	
Protect against electrostatic charges	
<b>SPECIFIC END USE(S)</b>	
No further relevant information available	

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROL MEASURES	Use in well-ventilated area. Avoid creation of dust. Up to 0.5 mg/m <sup>3</sup> use air purifying respirator with high efficiency particulate filter. Up to 1.25 mg/m <sup>3</sup> use powered air purifying respirator with high efficiency filter. Up to 2.5 mg/m <sup>3</sup> use full-faced piece air purifying respirator with high efficiency particulate filter.
RESPIRATORY PROTECTION	Wear NIOSH approved particle respirator.
HAND PROTECTION	Gloves should be worn during all handling operations.
EYE PROTECTION	Protect eyes from dust.
BODY PROTECTION	Clothing should cover body adequately to prevent exposure.
PROTECTION DURING APPLICATION	Will release ammonia gas when mixed with 1260 Part B. Good ventilation must be provided when working in confined spaces and exposure must be kept to a minimum. After installation and drying, activities such as grinding, sawing or tear-out of material would cause dust concentration to be above the TLV limit for crystalline quartz.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE	Solid
ODOUR & APPEARANCE	None, Grey-buff
ODOR THRESHOLD (ppm)	No odour
SPECIFIC GRAVITY	2.65
VAPOR DENSITY (AIR = 1)	NA
VAPOR PRESSURE at 20°C	10 mm @ 1730C
EVAPORATION RATE	No evaporation at normal temperatures
BOILING POINT (°C)	2230
FREEZING POINT (°C)	Solid
pH	Not determined
COEFFICIENT OF WATER/OIL DISTRIBUTION	Not determined
SOLUBILITY IN WATER	Insoluble
VOC (g/L)	0
FLASH POINT (PMCC) (°C/°F)	Not flammable
UPPER FLAMMABLE LIMIT %VOL	Not flammable
LOWER FLAMMABLE LIMIT %VOL	Not flammable
AUTOIGNITION TEMP (°C/°F)	Not flammable

## RAZORS EDGE™

### 10. STABILITY AND REACTIVITY

STABILITY	Contact with strong oxidizing agents.
CONDITIONS TO AVOID	Oxidizing agents: fluorine, chlorine trifluoride, manganese trioxide, oxygen difluoride
MATERIALS TO AVOID	Strong oxidizing agents.
HAZARDOUS POLYMERIZATION	Will not occur.
HAZARDOUS DECOMPOSITION PRODUCTS	Silica will dissolve in hydrofluoric acid and produce a corrosive gas (silicon tetra fluoride)

### 11. TOXICOLOGICAL INFORMATION

EFFECTS OF ACUTE EXPOSURE	NA - No known acute toxicity.
EFFECTS OF CHRONIC EXPOSURE	Repeated inhalation of concentrated free silica dust would cause delayed lung injury (silicosis).
EXPOSURE LIMITS	0.05 mg/m <sup>3</sup> Respirable quartz dust.
IRRITANCY	Mild irritation expected
SENSITIZATION	Very low probability
CARCINOGENICITY	The International Agency for Research on Cancer has concluded that crystalline silica in the form of quartz from occupational exposures should be classified as carcinogenic to humans (Group 1) The American Conference of Government Industrial Hygienists has given crystalline silica, quartz an A2 classification, suspected human carcinogen. Simultaneous exposure to known carcinogens can increase carcinogenicity of crystalline silica.
REPRODUCTIVE TOXICITY	No data, but none of ingredients have a reproductive toxicity
TERATOGENICITY	No data, but none of ingredients are teratogenic.
MUTAGENICITY	No data, but none of ingredients are mutagenic.
TOXICOLOGICALLY SYNERGISTIC PRODUCTS	Synergistic effect between smoking and crystalline silica is likely.

### 12. ECOLOGICAL INFORMATION

MOBILITY	Stable in environment.
PERSISTENCE/DEGRADABILITY	Non-biodegradable, generally non-toxic.
BIO-ACCUMULATION	Product does not bioaccumulate.
ECOTOXICITY	Not toxic to wildlife.
<b>RESULTS of PBT and vPvB Assessment</b>	
PBT: N/A	
vPvB: N/A	

### 13. DISPOSAL CONSIDERATIONS

PRODUCT DISPOSAL	Non-reactive. Transfer into non-dusting, sealed containers for recovery or disposal. Dispose of in an approved landfill site. Contact local authorities for disposal approval.
CONTAINER DISPOSAL	Empty bags may still contain residues. Dispose of bags according to local, state and federal regulations.
<b>UNCLEANED PACKAGINGS</b>	
<b>Recommendation:</b> Disposal must be made according to official regulations	

### 14. TRANSPORTATION INFORMATION

CANADA	TDG CLASSIFICATION
HAZARD LABEL NOT REQUIRED	NOT REGULATED
<b>EXPORT</b>	
DOT CFR 172.101 DATA	NOT REGULATED
UN PROPER SHIPPING NAME	NO UN NUMBER ASSIGNED – NOT HAZARDOUS
UN CLASS	NO UN NUMBER ASSIGNED – NOT HAZARDOUS
UN NUMBER	NO UN NUMBER ASSIGNED – NOT HAZARDOUS
UN PACKAGING GROUP	NO UN NUMBER ASSIGNED – NOT HAZARDOUS
FLASH POINT	NO FLASHPOINT
HAZARDOUS MATERIAL	NONE
HAZARD LABEL	NONE
MARINE POLLUTANT	NO
SPECIFIC PRECAUTIONS FOR USER	N/A

# RAZORS EDGE™



## 15. REGULATORY INFORMATION

WHMIS CLASSIFICATION: CLASS D, DIV.2, SUBDIVISION A-Very Toxic Material

CEPA STATUS (DSL): All of the ingredients of this product are listed on the Domestic Substances List.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by CPR.

## 16. OTHER INFORMATION

	HMIS hazard ID: 0-MINIMAL; 1-SLIGHT; 2-MODERATE; 3-SERIOUS; 4-SEVERE		NFPA hazard ID: 0-MINIMAL; 1-SLIGHT; 2-MODERATE; 3-SERIOUS; 4-SEVERE																										
KEY	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>NA:</td><td>No applicable information found or available</td></tr> <tr><td>CAS#:</td><td>Chemical Abstracts Service Number</td></tr> <tr><td>ACGIH:</td><td>American Conference of Governmental Industrial Hygienists</td></tr> <tr><td>OSHA:</td><td>Occupational Safety and Health Administration</td></tr> <tr><td>TLV:</td><td>Threshold Limit Value</td></tr> <tr><td>PEL:</td><td>Permissible Exposure Limit</td></tr> <tr><td>STEL:</td><td>Short Term Exposure Limit</td></tr> <tr><td>NTP:</td><td>National Toxicology Program</td></tr> <tr><td>IARC:</td><td>International Agency for Research on Cancer</td></tr> <tr><td>R:</td><td>Risk</td></tr> <tr><td>S:</td><td>Safety</td></tr> <tr><td>LD50:</td><td>Lethal Dose 50%</td></tr> <tr><td>LC50:</td><td>Lethal Concentration 50%</td></tr> </table>			NA:	No applicable information found or available	CAS#:	Chemical Abstracts Service Number	ACGIH:	American Conference of Governmental Industrial Hygienists	OSHA:	Occupational Safety and Health Administration	TLV:	Threshold Limit Value	PEL:	Permissible Exposure Limit	STEL:	Short Term Exposure Limit	NTP:	National Toxicology Program	IARC:	International Agency for Research on Cancer	R:	Risk	S:	Safety	LD50:	Lethal Dose 50%	LC50:	Lethal Concentration 50%
NA:	No applicable information found or available																												
CAS#:	Chemical Abstracts Service Number																												
ACGIH:	American Conference of Governmental Industrial Hygienists																												
OSHA:	Occupational Safety and Health Administration																												
TLV:	Threshold Limit Value																												
PEL:	Permissible Exposure Limit																												
STEL:	Short Term Exposure Limit																												
NTP:	National Toxicology Program																												
IARC:	International Agency for Research on Cancer																												
R:	Risk																												
S:	Safety																												
LD50:	Lethal Dose 50%																												
LC50:	Lethal Concentration 50%																												

PREPARED BY:	<b>Specialty Products Group Inc.</b>
SDS REVISION DATE	November 1, 2023

Provided data is offered in good faith as typical values and not as a product specification. No warranty, either express or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable, however, each user should review these recommendations.